

L Number	Hits	Search Text	DB	Time stamp
-	748	{123/90.11}.CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:32
-	144888	electro\$magnet (electro adj magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:33
-	327	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:03
-	4	((("4614170") or ("6170445"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:13
-	11938	oscillat\$4 with valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:14
-	85	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:14
-	20	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)) and (engine with stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:17
-	20	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)) and (engine with stop\$3)) and control	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:19
-	17	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)) and (engine with stop\$3)) and control) and (control\$3 with current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:33
-	0	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)) and (engine with stop\$3)) and control) and (control\$3 with current with engine with stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:20
-	2	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)) and (engine with stop\$3)) and control) and (control\$3 with current with stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/05/25 08:20
-	5	("4533890" "4779582" "4829947" "5117213" "5131624").PN.	USPAT	2004/05/25 08:24
-	10	("1471861" "3202886" "3504315" "3853102" "3882833" "4383234" "4455543" "4533890" "4614170" "4749167").PN.	USPAT	2004/05/25 08:29
-	46	4829947.URPN.	USPAT	2004/05/25 09:01
-	17	((123/90.11).CCLS.) and (electro\$magnet (electro adj magnet))) and (oscillat\$4 with valve)) and (engine with stop\$3)) and control) and (control\$3 with current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:34
-	145562	(electro\$magnet (electro adj magnet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:35
-	9335	((electro\$magnet (electro adj magnet))) near3 valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:35

-	150067	("123").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:35
-	604	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:53
-	26246	engine with stop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:36
-	5169	(engine with stop) with (valve with stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:37
-	52	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.) and ((engine with stop) with (valve with stop))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:37
-	143	(engine with stop) with (valve with stop with current)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:37
-	7	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.) and ((engine with stop) with (valve with stop with current))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:55
-	65	(((electro\$magnet (electro adj magnet))) near3 valve) with oscillat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:56
-	6	("123").CLAS.) and (((electro\$magnet (electro adj magnet))) near3 valve) with oscillat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:58
-	2033	stop with current with controller	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:59
-	47	("123").CLAS.) and (stop with current with controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 13:59
-	1	((("123").CLAS.) and (stop with current with controller)) and (((electro\$magnet (electro adj magnet))) near3 valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:01
-	5	("4533890" "4779582" "4829947" "5117213" "5131624").PN.	USPAT	2004/06/21 14:00
-	545	(open\$3 clos\$3) with valve with (engine adj stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:02
-	4	((open\$3 clos\$3) with valve with (engine adj stop)) with different	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:03
-	26246	engine with stop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:27
-	62	(((electro\$magnet (electro adj magnet))) near3 valve) with (engine with stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:29
-	604	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:29

-	52	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.) and (engine with stop with valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:34
-	49920	neutral adj position	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:34
-	267	(((electro\$magnet (electro adj magnet))) near3 valve) and (neutral adj position)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:34
-	92	("123").CLAS.) and ((((electro\$magnet (electro adj magnet))) near3 valve) and (neutral adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:35
-	5	((("123").CLAS.) and ((((electro\$magnet (electro adj magnet))) near3 valve) and (neutral adj position))) and (engine adj stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 14:35
-	604	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:53
-	39010	current with stop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:53
-	40	(((electro\$magnet (electro adj magnet))) near3 valve) and ("123").CLAS.) and (current with stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:56
-	753	(123/90.11).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:56
-	441	control\$3 with current with engine with stop	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:57
-	4	((123/90.11).CCLS.) and (control\$3 with current with engine with stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 15:57
-	200062	current with (off stop)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:33
-	145613	electro\$magnet (electro adj magnet)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:33
-	14453	(electro\$magnet (electro adj magnet)) with valve	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:33
-	184	(current with (off stop)) with ((electro\$magnet (electro adj magnet)) with valve)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:34
-	80	((current with (off stop)) with ((electro\$magnet (electro adj magnet)) with valve)) and engine	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:34
-	43	((current with (off stop)) with ((electro\$magnet (electro adj magnet)) with valve)) and engine) and (intake exhaust)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:41
-	210	(electro\$magnet (electro adj magnet)) and (oscillat\$4 with valve) and (internal adj combustion adj engine)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:44

-	13	(electro\$magnet (electro adj magnet)) and (free with oscillat\$4 with valve) and (internal adj combustion adj engine)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 14:51
-	4891	(251/129.01,129.1,129.15,129.16).CCLS. .	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:02
-	618	((251/129.01,129.1,129.15,129.16).CCLS.) and (electro\$magnet (electro adj magnet))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 15:48
-	756	(123/90.11).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 15:48
-	1230	((251/129.01,129.1,129.15,129.16).CCLS.) and (electro\$magnet (electro adj magnet)) ((123/90.11).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 15:48
-	223	((251/129.01,129.1,129.15,129.16).CCLS.) and (electro\$magnet (electro adj magnet)) ((123/90.11).CCLS.) and (valve with (oscillat\$3 vibrat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 15:49
-	46	((251/129.01,129.1,129.15,129.16).CCLS.) and (electro\$magnet (electro adj magnet)) ((123/90.11).CCLS.) and (current with valve with (oscillat\$3 vibrat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/28 15:50
-	1	6276317.URPN.	USPAT	2004/06/28 16:26
-	6	"5596956" "5671705" "5752478" "5765514" "6170445" "6202608").PN.	USPAT	2004/06/28 16:26
-	2	"6343577").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 08:56
-	4893	(251/129.01,129.1,129.15,129.16).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:02
-	758	(123/90.11).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:02
-	5447	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:03
-	195	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.) and ((position adj sensor))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:03
-	4	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.) and ((position adj sensor)) and (free adj (oscillation vibration))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:10
-	115	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.) and (feedback adj control)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:15
-	46	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.) and (feedback adj control)) and (oscillation vibration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:30
-	20	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.) and ((feedback adj control) with target)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:15
-	80183	damp\$3 with (oscillation vibration)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:33

-	86	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.)) and (damp\$3 with (oscillation vibration))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:33
-	16	((251/129.01,129.1,129.15,129.16).CCLS.) ((123/90.11).CCLS.)) and (damp\$3 with (oscillation vibration)) and ((displacement position) adj sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:34